

#### REPUBLIC OF THE PHILIPPINES

#### VICTORIAS CITY WATER DISTRICT

Quirino St., Victorias City Negros Occidental Telefax: (034) 399-3554, Tel. No. (034) 399-2865 Website: victoriascitywd.gov.ph Email: victoriascitywd@yahoo.com.ph

# Supplemental Bid Bulletin No. 1 PhilGEPS Bid Reference No. 5693767 October 8, 2018

## TO ALL PROSPECTIVE BIDDERS:

This addendum is a result of the request by the BAC Technical Working Group (TWG) to clearly specify the Technical Specifications of the Rotary Drilling Rig, auxiliary equipment and appurtenances to be use by the winning bidder. This shall modify or amend some provisions in the Bidding Documents for **PROCUREMENT OF DRILLING OF ONE (1) EXPLORATORY/PRODUCTION WELL.** 

This shall form an integral part of the Bid Documents.

### Invitation to Bid for PROCUREMENT OF DRILLING OF ONE (1) EXPLORATORY/PRODUCTION WELL.

ADDENDUM NO. 1					
REFERENCE	AMENDMENTS/CHANGES/CLARIFICATION  Section VI. Specifications (page 94)				
Section VI. Specifications (page 94)					
B. Special Technical Conditions	B. Special Technical Conditions				
2. Well Drilling	2. Well Drilling				
2.1. Equipment	2.1. Equipment				
The Contractor shall provide and operate one (1) Rotary drilling rig including all auxiliary equipment necessary to complete the work within the contract period.	The Contractor shall provide and operate one (1) Rotary drilling rig using mud circulation including all auxiliary equipment necessary to complete the work within the contract				

- a. 40-ft high Derrick (mast)
- b. 5-1/2" x 9.5 meters drill rods
- c. 5" x 11 meters Kelly

equipment and appurtenances:

- d. 5000 psi capacity Kelly hose
- e. Rock bits must be TCI, preferably new, Rerun and repaired bits are not allowed to be used

period. The drilling rig must have the following tools, auxiliary

- f. Mud pump with the following ratings
  - Maximum BHP = 52
  - Maximum Jackshaft RPM = 330
  - Displacement = 266 GPM
  - Max pump RPM = 70

			~	
-	Stroke	Length	=8	inches
	DULGILO			

- g. Generator Set must be 90KVA
- h. Compressor unit must be rotary screw type with minimum capacity of 655 cfm.

For the guidance and information of all concerned.

LINO T. BASCING

Chairperson, Bids and Awards Committee